

<u>Project:</u> Wells Fargo 514 WASHINGTON BLVD MARINA DEL REY, CA, 90292

Mr. Santos H. Kreimann Director, Department of Beaches & Harbors, Design Control Board, 13483 Fiji Way Trailer #3 Marina del Rey, CA 90292 Attn: Planning

Description of Work

Proposal to change the 3 existing exterior wall signs (East, North, and North West Elevation) from Halo Lit Individual Channel Letters to internally illuminated Face-Lit Channel Letters on a Staging Panel. Specifications are illustrated on the next few pages of the proposed drawings and plans. No other signs will change as they are not part of the scope of work for this project.

The 3 current/existing signs have dimensions of 12' X 1.67' (Width x Height). The 3 new proposed signage will have dimensions as the following: 11.86' X 1.78' (Width x Height). The color schemes of the signage are included in the packet, but the names of the colors are *Alpolic #Wry Red 4MM Core ACM* (for the Red) and *3M 3630-4039 Yellow Vinyl* (for the yellow channel letters). For the illumination schedule, per Title 24 we are required to hook up signage to a time clock and photo cell; Signs will illuminate between sunset and sunrise. For the height above grade, sign E01 will be placed at 11.20 feet from the ground, E02 will be placed 11.20 feet from the ground.

Manufacturing/installation of the new signage will occur between March-October 2013. Once approved by you, DCB, and Department of Beaches and Harbor, we will then move towards the process of getting approval by the County of Los Angeles Department of Regional Planning.

Cost of this entire project will be \$12,545.00 (materials/installation/labor). Review Fee will be \$40.00 + .006 (ECC)= \$115.27

Please call me if you have any questions. Thank you,
Brandon Miller
Coast Sign Inc.
Brandon.Miller@CoastSign.com

1500 W. Embassy St, Anaheim, CA 92802 Phone: (714) 999-1960, Fax (714) 520-5847

The sign industry's leader in corporate branding.

west

Headquarters + Manufacturing 1500 W. Embassy St. Anaheim, CA 92802 phone 714 520 9144 fax 714 520 5847 Project Management 1909 E. Ray Rd., No. 9-128 Chandler, AZ 85225 phone 480 926 5780 fax 480 632 9700

southeast

Project Management 8331 E. Walker Springs Ln, No. 302 Knoxville, TN 37923 phone 865 693 0101 fax 865 693 0184

southeast

Project Management + Manufacturing 1698 Perimeter Rd. Greenville, SC 29605-5244 phone 864 277 8187 fax 864 277 8445



January 22, 2013

Mr. Santos Kreimann, Director Los Angeles County Department of Beaches & Harbors Design Control Board 13483 Fiji Way, Trailer #3 Marina del Rey, CA 90292 Attn. Charlotte Miyamoto

RE: P97 – Marina Beach Shopping Center – Proposed Tenant Change of Current Signage Request

Dear Charlotte;

On behalf of the Owners of Gold Coast Shopping Center, LLC (Marina Beach Shopping Center) we are requesting placement on the February, 2013 agenda of the Design Control Board to propose change of current signage considerations for the following tenant:

WELLS FARGO BANK 514 WASHINGTON BOULEVARD MARINA DEL REY, CA 90292

On the following pages please find the proposed specifications for WELLS FARGO BANK.

Very truly yours,

Jill Peterson

Pacific Ocean Management, LLC as Agent for

Gold Coast Shopping Center, LLC

Enclosures



Corporate Properties Group MAC: C7201-042 5601 S. Broadway 4th Floor, Suite 400 Littleton, CO 80121-8040

LANDLORD APPROVAL FOR SIGN DESIGN DOCUMENTS

	State Distance and the state of
TO: FROM:	GOLD COAST SHOPPING CENTER, LLC (GCSC, LLC)
	MARINA DEL REY MAIN WF BE# 102488 514 WASHINGTON BLVD MARINA DEL REY, CA, 90292
Landlord	d Name ado COAST HOPPING CTO, U.C. Phone # 310.822-6866
I have rev	viewed the attached sign design documents, and:
[∡] I have	e initialed each page indicating my approval of the Sign Design Documents as submitted.
In addition	on,
	I hereby give notice to the sign permitting authority that I approve the sign Design Documents as submitted.
	I authorize the sign vendor, Coast Sign. under contract with Wells Fargo to make application for and secure the necessary permit(s), remove any existing signs, install the new approved signs and provide wall surface restoration of any resulting visible wall damage.
[] [har	ve made notations on the sign design documents indicating my concerns. I approve the sign Design uments as noted in the package to be returned to Coast Sign.
[] I have	e attached a letter with additional requirements. AGENT For GCSC, LLC 1/22/13 Name (Print) Title Date



Corporate Properties Group MAC: C7201-042 5601 S. Broadway 4th Floor, Suite 400 Littleton, CO 80121-8040

AUTHORIZATION AND CONSENT FORM

RE:

MARINA DEL REY MAIN

WF BE# 102488

514 WASHINGTON BLVD MARINA DEL REY, CA, 90292

Landlord Owner Name: GOLD COAST SHOPPING CENTER, LLC (GCSC, LLC)

Landlord Contact:

PACIFIC OCERN MANAGEMENT, LLC

acific Ocean Management as Agent for GCSC, LLC

Print Name:

JILL TETERSON

Telephone Number:

310.822-6866

RE: Signage Conversion

To Whom It May Concern:

I am a duly authorized representative of 6050, ELC , the Landlord/Owner at the referenced leased premises.

In my capacity as Landlord's official representative, I do hereby authorize Wells Fargo to perform all work associated with the sign conversion. I further authorize Coast Sign or its representatives to obtain in Landlord's name all permits for the sign conversion hereby consented to by Landlord. Costs associated with permit acquisition and signage replacement will be at the tenant's expense.

Landlord/Owner:

By:

Date:

714-520-5847

Please Fax to:
Attention:

Brandon Miller

Or Mail to:

Coast Sign, Inc.

Brandon Miller

1500 W Embassy Street Anaheim, CA 92802

714-999-1960

Or email to:

brandon.miller a coastsign.com





before






BE # 102488
Marina Del Rey Main
Marina Del Rey
514 Washington Blvd.

Leased Site



Exterior Site Plan

Sign	Existing Sign	SF	Recommended Sign	SF	Qty.
E01 E02 E03 E04 E05	Channel Letters Channel Letters Channel Letters ATM Surrounds Handicap Sign	20 20 20 -	CHSP-12-H CHSP-12-H CHSP-12-H Leave As Is Leave As Is	21.2 21.2 21.2 -	1 1 3 3 3











Revisions: 1-10-13 JCU R1-Refer To Pathfinder 1-19-13 RV R2-Refer To Pathfinder

Date: 1/8/13


Designer: DBS PM: DN

City/State: Marina Del Rey, CA

Site Name

Drawing # PRJ-WLFR-73268 102488

Exterior Site Plan





Revisions: R1-Refer To Pathfinder 1-10-13 JCU R2-Refer To Pathfinder 1-19-13 RV

File Location:
W:\Wells Fargo 2012\Art\Drawings\

Date: 1/8/13

Designer: DBS PM: DN

City/State: Marina Del Rey, CA


Drawing # PRJ-WLFR-73268

102488 Site Name


Address: 514 Washington Blvd.

Horizontal Letters / Staging Panel - CHSP-12-H (Qty 1)

Remove existing sign, patch and repaint fascia to match existing. Install staging panel with internally illuminated face-lit letters. Specifications are listed below. Panel is mounted flush to fascia.




- **Power Supply Housing**
- GE 12V power supply
- 1/2" flexible conduit
- listed disconnect switch
- primary electrical source
- 2" x 2" aluminum angle frame
- letter return (see chart below)
- face retainer (see chart below)
- 12V secondary supply wire
- GE TetraminiMAX LED module
- .177" clear acrylic with vinyl
- weep holes (2 per letter)
- Mounting (see chart below)



Mounting Hardware Chart





NOTE: TRIM CAP AND CHANNEL LETTER RETURN SEAMS SHOULD BE PLACED ON THE TOP OF THE LETTER SO THEY WILL NOT BE VISIBLE.



looking southeast on W. Washington Blvd.

GENERAL NOTES:

All lighting elements to be non-visible, including power supply.

Letters to be flush mounted to background panel as shown.

Lexan faces attached to trim caps using LORD 7542e adhesive, or approved equal with comparable VOC characteristics.

Letters from 10" - 3'-6" have backs mechanically fastened to returns.


All electrical to be UL Listed and labeled.

Power supply wiring to be compliant to UL48 and NEC..

ACM panels may require additional internal support bracing

All visible mechanical fasteners within trim caps must be painted black.

Knuckle seem to be used when seaming is necessary.



Letter Faces	Letter Backs	Letter Returns	Face Retainer	Ltr. Illumination	Model #	٧	W	Х	Υ	Z	SF
.177" Clear Acrylic	(.063") Maxxbrite High Reflective White	(.040") Maxxbrite Alum. Sheeting w/High Reflective White Interior	Jewel-lite Trim Cap 3/4" Black	GE Tetra miniMAX, GEWWMMS5-50K	CHSP-12-H	12"	1'- 9 3/8"	11'- 10 3/8"	5 5/8"	5"	21.2

File Location:

W:\Wells Fargo 2012\Art\Drawings\



Revisions: R1-Refer To Pathfinder 1-10-13 JCU R2-Refer To Pathfinder 1-19-13 RV

Date: 1/8/13

Designer: DBS PM: DN

City/State: Marina Del Rey, CA

Address: 514 Washington Blvd


Drawing #

PRJ-WLFR-73268 102488 Site Name

E02


Horizontal Letters / Staging Panel - CHSP-12-H (Qty 1)

Remove existing sign, patch and repaint fascia to match existing. Install staging panel with internally illuminated face-lit letters. Specifications are listed below. Panel is mounted flush to fascia.




- A Power Supply Housing
- **B** GE 12V power supply
- C 1/2" flexible conduit
- D listed disconnect switch
- E primary electrical source
- F 2" x 2" aluminum angle frame
- **G** letter return (see chart below)
- d letter return (see chart below)
- H face retainer (see chart below)
- 12V secondary supply wire
- J GE TetraminiMAX LED module

 K .177" clear acrylic with vinyl
- L weep holes (2 per letter)
- M Mounting (see chart below)
- N Alpolic ACM background panel




Mounting Hardware Chart





NOTE: TRIM CAP AND CHANNEL LETTER RETURN SEAMS SHOULD BE PLACED ON THE TOP OF THE LETTER SO THEY WILL NOT BE VISIBLE.



looking southeast on W. Washington Blvd.

GENERAL NOTES:

All lighting elements to be non-visible, including power supply.

Letters to be flush mounted to background panel as shown.

Lexan faces attached to trim caps using LORD 7542e adhesive, or approved equal with comparable VOC characteristics.

Letters from 10" - 3'-6" have backs mechanically fastened to returns.


All electrical to be UL Listed and labeled.

Power supply wiring to be compliant to UL48 and NEC..

ACM panels may require additional internal support bracing cross members.

All visible mechanical fasteners within trim caps must be painted black.

Knuckle seem to be used when seaming is necessary



Letter Faces	Letter Backs	Letter Returns	Face Retainer	Ltr. IIIumination	Model #	٧	W	Х	Y	Z	SF
.177" Clear Acrylic	(.063") Maxxbrite High Reflective White	(.040") Maxxbrite Alum. Sheeting w/High Reflective White Interior	Jewel-lite Trim Cap 3/4" Black	GE Tetra miniMAX, GEWWMMS5-50K	CHSP-12-H	12"	1'- 9 3/8"	11'- 10 3/8"	5 5/8"	5"	21.2

File Location:

W:\Wells Fargo 2012\Art\Drawings\



Revisions:
R1-Refer To Pathfinder 1-10-13 JCU
R2-Refer To Pathfinder 1-19-13 RV

Date: 1/8/13

Designer: DBS PM: DN

/8/13 City/State: Marina Del Rey, CA


Address: 514 Washington Blvd.

Drawing #
Site Name


PRJ-WLFR-73268 102488

Horizontal Letters / Staging Panel - CHSP-12-H (Qty 1)

Remove existing sign, patch and repaint fascia to match existing. Install staging panel with internally illuminated face-lit letters. Specifications are listed below. Panel is mounted flush to fascia.




- Power Supply Housing
- GE 12V power supply
- C 1/2" flexible conduit
- listed disconnect switch
- primary electrical source
- 2" x 2" aluminum angle frame
- letter return (see chart below)
- face retainer (see chart below)
- 12V secondary supply wire
- GE TetraminiMAX LED module
- K .177" clear acrylic with vinyl
- weep holes (2 per letter)
- M Mounting (see chart below)
- N Alpolic ACM background panel



Mounting Hardware Chart





NOTE: TRIM CAP AND CHANNEL LETTER RETURN SEAMS SHOULD BE PLACED ON THE TOP OF THE LETTER SO THEY WILL NOT BE VISIBLE.



looking southwest from parking lot

All lighting elements to be non-visible, including power supply.

Letters to be flush mounted to background panel as shown.

Lexan faces attached to trim caps using LORD 7542e adhesive, or approved equal with comparable VOC characteristics.

Letters from 10" - 3'-6" have backs mechanically fastened to returns.


All electrical to be UL Listed and labeled

Power supply wiring to be compliant to UL48 and NEC.

ACM panels may require additional internal support bracing

All visible mechanical fasteners within trim caps must be painted black.

Knuckle seem to be used when seaming is necessary



Letter Faces	Letter Backs	Letter Returns	Face Retainer	Ltr. Illumination	Model #	٧	W	Х	Υ	Z	SF
.177" Clear Acrylic	(.063") Maxxbrite High Reflective White	(.040") Maxxbrite Alum. Sheeting w/High Reflective White Interior	Jewel-lite Trim Cap 3/4" Black	GE Tetra miniMAX, GEWWMMS5-50K	CHSP-12-H	12"	1'- 9 3/8"	11'- 10 3/8"	5 5/8"	5"	21.2

File Location:

W:\Wells Fargo 2012\Art\Drawings\



Revisions: R1-Refer To Pathfinder 1-10-13 JCU R2-Refer To Pathfinder 1-19-13 RV

Date: 1/8/13

Designer: DBS PM: DN

City/State: Marina Del Rey, CA

Address: 514 Washington Blvd.

Drawing #

PRJ-WLFR-73268

102488 Site Name

E04 Leave As Is (Qty 3)

Leave existing sign as is, no work required.





Revisions: R1-Refer To Pathfinder 1-10-13 JCU R2-Refer To Pathfinder 1-19-13 RV

File Location:
W:\Wells Fargo 2012\Art\Drawings\

Designer: DBS PM: DN

Date: 1/8/13

City/State: Marina Del Rey, CA

Address: 514 Washington Blvd.

Drawing # PRJ-WLFR-73268 102488 Site Name

E05 Leave As Is (Qty 3)

Leave existing sign as is, no work required.





Revisions: R1-Refer To Pathfinder 1-10-13 JCU R2-Refer To Pathfinder 1-19-13 RV

File Location:
W:\Wells Fargo 2012\Art\Drawings\

Designer: DBS PM: DN

Date: 1/8/13

City/State: Marina Del Rey, CA

Site Name

Drawing # PRJ-WLFR-73268 102488

Address: 514 Washington Blvd.

WELLS FARGO

Wall Sign



ALPOLIC #WRY RED 4MM CORE ACM





3M 3630-22 BLACK VINYL



TRIM CAP: 3/4" JEWELITE BLACK



.40" ALUMINUM RETURN.
MAXXBRITE STANDARD BLACK OR
PAINT MATTHEWS MP30132 BLACK
FULL GLOSS

